

MYER

Supply Chain – Merchandise Logistics

**EANCOM Sales Report D01B
(SLSRPT)**



Table of Contents

SLSRPT	Sales data report message	3
UNB	INTERCHANGE HEADER	4
UNH	MESSAGE HEADER	5
BGM	BEGINNING OF MESSAGE	6
DTM	DATE / TIME / PERIOD	7
DTM	DATE / TIME / PERIOD	8
RFF	REFERENCE	9
NAD	NAME AND ADDRESS	10
NAD	NAME AND ADDRESS	11
LOC	PLACE/LOCATION IDENTIFICATION	12
DTM	DATE / TIME / PERIOD	13
LIN	LINE ITEM	14
PIA	ADDITIONAL PRODUCT ID	15
MOA	MONETARY AMOUNT	16
MOA	MONETARY AMOUNT	17
MOA	MONETARY AMOUNT	18
MOA	MONETARY AMOUNT	19
QTY	QUANTITY	20
QTY	QUANTITY	21
UNT	MESSAGE TRAILER	22
UNZ	INTERCHANGE TRAILER	23
Appendix		24

SLSRPT Sales data report message

Message Status = 8

A message to enable the conveyance of product activity related the sale of products or services, such as the activity location, date, time or period, quantity, pricing, monetary amount, market sector, involved parties and other data enabling various sales analysis processes. Such activity information allows the recipient to perform statistical and quantitative analysis in support of production, planning, marketing, replenishment, and other processes.

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
	UNB	INTERCHANGE HEADER	M	1		Must Use

Heading:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0010	UNH	MESSAGE HEADER	M	1	N1/0010	Must Use
0020	BGM	BEGINNING OF MESSAGE	M	1	N1/0020	Must Use
0030	DTM	DATE/TIME/PERIOD	M	1	N1/0030	Must Use
0030	DTM	DATE/TIME/PERIOD	M	1	N1/0030	Must Use
0050		Segment Group 1	C	1	N1/0050	Used
0060	RFF	REFERENCE	M	1	N1/0060	Must Use
0080		Segment Group 2	M	1	N1/0080	Must Use
0090	NAD	NAME AND ADDRESS	M	1	N1/0090	Must Use
0080		Segment Group 2	M	1	N1/0080	Must Use
0090	NAD	NAME AND ADDRESS	M	1	N1/0090	Must Use

Detail:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0200		Segment Group 6	C	200000	N2/0200	Used
0210	LOC	PLACE/LOCATION IDENTIFICATION	M	1	N2/0210	Must Use
0260	DTM	DATE/TIME/PERIOD	C	5	N2/0260	Used
0270		Segment Group 8	C	200000	N2/0270	Used
0280	LIN	LINE ITEM	M	1	N2/0280	Must Use
0290	PIA	ADDITIONAL PRODUCT ID	C	1	N2/0290	Used
0360	MOA	MONETARY AMOUNT	C	1	N2/0360	Recommended
0360	MOA	MONETARY AMOUNT	C	1	N2/0360	Recommended
0360	MOA	MONETARY AMOUNT	C	1	N2/0360	Recommended
0360	MOA	MONETARY AMOUNT	C	1	N2/0360	Recommended
0420		Segment Group 10	C	1	N2/0420	Used
0430	QTY	QUANTITY	M	1	N2/0430	Recommended
0420		Segment Group 10	C	1	N2/0420	Used
0430	QTY	QUANTITY	M	1	N2/0430	Recommended
0710	UNT	MESSAGE TRAILOR	M	1	N2/0710	Must Use

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
	UNZ	INTERCHANGE TRAILER	M	1		Must use

UNB INTERCHANGE HEADER

Pos:	Max: 1
Mandatory	
Group: N/A	Elements: 11

User Option (Usage): Must Use

To start, identify and specify an interchange.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNB010	S001	SYNTAX IDENTIFIER	M	Comp		Must use
	0001	Syntax identifier	M	a	4/4	Must use
		<u>Code</u> <u>Name</u> UNOA UN/ECE level A				
	0002	Syntax version number	M	n	1/1	Must use
		<u>Code</u> <u>Name</u> 3 Version 3				
UNB020	S002	INTERCHANGE SENDER	M	Comp		Must use
	0004	Sender identification	M	an	1/35	Must use
	0007	Partner identification code qualifier	C	an	1/4	Used
		<u>Code</u> <u>Name</u> ZZ Mutually Defined				
*	0008	Address for reverse routing	C	an	1/14	Not used
UNB030	S003	INTERCHANGE RECIPIENT	M	Comp		Must use
	0010	Recipient identification	M	an	1/35	Must use
	0007	Partner identification code qualifier	C	an	1/4	Used
		<u>Code</u> <u>Name</u> ZZ Mutually Defined				
	0014	Routing address	C	an	1/14	Used
UNB040	S004	DATE/TIME OF PREPERATION	M	Comp		Must use
	0017	Date of preparation	M	n	6/6	Must use
	0019	Time of preparation	M	n	4/4	Must use
UNB050	0020	Interchange control reference	M	an	1/14	Must use
*UNB060	S005	RECIPIENTS REFERENCE PASSWORD	C	Comp		Not used
*	0022	Recipient's reference/password	M	an	1/14	Not used
*	0025	Recipient's reference/password qualifier	C	an	2/2	Not used
*UNB070	0026	Application reference	C	an	1/14	Not used
*UNB080	0029	Processing priority code	C	a	1/1	Not used
UNB090	0031	Acknowledgement request	C	n	1/1	Used
		<u>Code</u> <u>Name</u> 1 Requested				
*UNB100	0032	Communications agreement ID	C	an	1/35	Not used
UNB110	0035	Test indicator	C	n	1/1	Used
		<u>Code</u> <u>Name</u> 1 Interchange is a test				

Note:

UNB+UNOA:3+9313938000709:ZZ+9313938679:ZZ+041117:1154+123++++1++1'

UNH MESSAGE HEADER

Pos:0010	Max: 1
Mandatory	
Group: N/A	Elements: 7

User Option (Usage): Must use
To head, identify and specify a message.

Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
UNH010	0062	Message reference number	M	an	1/14	Must use
UNH020	S009	MESSAGE IDENTIFIER	M	Comp		Must use
	0065	Message type	M	an	1/6	Must use
		<u>Code</u> <u>Name</u>				
		SLSRPT Sales data report message				
	0052	Message version number	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		D Draft version/UN/EDIFACT Directory				
	0054	Message release number	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		01B Release 2001 - B				
	0051	Controlling agency, coded	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		UN UN/CEFACT				
	0057	Association assigned code	C	an	1/6	Used
		Value: EAN006				
*	0110	Code list directory version number	C	an	1/6	Not used
*	0113	Message type sub-function identification	C	an	1/6	Not used
*UNH030	0068	Common access reference	C	an	1/35	Not used
*UNH040	S010	STATUS OF THE TRANSFER	C	Comp		Not used
*	0070	Sequence of transfers	M	n	1/2	Not used
*	0073	First and last transfer	C	a	1/1	Not used
*UNH050	S016	MESSAGE SUBSET IDENTIFICATION	C	Comp		Not used
*	0115	Message subset identification	M	an	1/14	Not used
*	0116	Message subset version number	C	an	1/3	Not used
*	0118	Message subset release number	C	an	1/3	Not used
*	0051	Controlling agency, coded	C	an	1/3	Not used
*UNH060	S017	MESSAGE IMPLEMENTATION GUIDELINE IDENTIFICATION	C	Comp		Not used
*	0121	Message implementation guideline identification	M	an	1/14	Not used
*	0122	Message implementation guideline Version number	C	an	1/3	Not used
*	0124	Message implementation guideline release number	C	an	1/3	Not used
*	0051	Controlling agency, coded	C	an	1/3	Not used
*UNH070	S018	SCENARIO IDENTIFICATION	C	Comp		Not used
*	0127	Scenario identification	M	an	1/14	Not used
*	0128	Scenario version number	C	an	1/3	Not used
*	0130	Scenario release number	C	an	1/3	Not used
*	0051	Controlling agency, coded	C	an	1/3	Not used

Comments:

1. Data element S009/0057 is retained for upward compatibility. The use of S016 and/or S017 is encouraged in preference.
2. The combination of the values carried in data elements 0062 and S009 shall be used to identify uniquely the message within it's group (if used), or if not used, within it's interchange, for the purpose of acknowledgement.

BGM BEGINNING OF MESSAGE

Pos:0020 Max: 1
 Mandatory
 Group: N/A Elements: 4

User Option (Usage): Must use

To indicate the type and function of a message and to transmit the identifying number.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BGM010	C002	DOCUMENT MESSAGE NAME	C	Comp		Used
	1001	Document name code	C	an	1/3	Used
		<u>Code</u> <u>Name</u>				
		73E Sales data report (EAN Code)				
*	1131	Code list identification code	C	an	1/17	Not used
	3055	Code list responsible agency code	C	an	1/3	Used
		<u>Code</u> <u>Name</u>				
		9 EAN (International Article Numbering association)				
*	1000	Document name	C	an	1/35	Not used
BGM020	C106	DOCUMENT / MESSAGE IDENTIFICATION	C	Comp		Used
	1004	Document identifier	C	an	1/35	Used
		Note: The Report # will be the report date.				
*	0156	Version identifier	C	an	1/9	Not used
*	1060	Revision identifier	C	an	1/6	Not used
BGM030	1225	Message function code	C	an	1/3	Used
		<u>Code</u> <u>Name</u>				
		9 Original				
BGM040	4343	Response type code	C	an	1/3	Not used

Note:
 Example:

BGM+73E::9+20041117+9

DTM DATE / TIME / PERIOD

Pos:0030	Max: 1
Mandatory	
Group: N/A	Elements:1

User Option (Usage): Must use
To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
	2005	Date or time or period function code qualifier	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		137 Document/message date/time				
	2380	Date or time or period value	C	an	1/35	Used
	2379	Date or time or period format code	C	an	1/3	Used
		<u>Code</u> <u>Name</u>				
		102 CCYYMMDD				

Note:

Example:

DTM+137:20041117:102'

DTM DATE / TIME / PERIOD

Pos:0030	Max: 1
Mandatory	
Group: N/A	Elements:1

User Option (Usage): Must use
To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
	2005	Date or time or period function code	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		356 Sales date, and or time, and or period				
	2380	Date or time or period value	C	an	1/35	Used
	2379	Date or time or period format code	C	an	1/3	Used
		<u>Code</u> <u>Name</u>				
		718 CCYYMMDD-CCYYMMDD				

Note:

Example:

DTM+90:20041112:718'

RFF REFERENCE

Pos:0060	Max: 1
Mandatory	
Group N/A	Elements: 1

User Option (Usage): Must use
To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
	1153	Reference code qualifier	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		SD Sales department number				
*	1154	Reference identifier	C	an	1/70	Not used
*	1156	Document line identifier	C	an	1/6	Not used
*	4000	Reference version identifier	C	an	1/35	Not used
*	1060	Revision identifier	C	an	1/6	Not used

Note:

Example:

RFF+SD:4477'

NAD NAME AND ADDRESS

Pos:0090	Max: 1
Mandatory	
Group: 2	Elements: 9

User Option (Usage): Must use

To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.

Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
NAD010	3035	Party function code qualifier	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		BY Buyer				
NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Used
	3039	Party identifier	M	an	1/35	Not used
*	1131	Code list identification code	C	an	1/17	Not used
	3055	Code list responsible agency code	C	an	1/3	Used
		<u>Code</u> <u>Name</u>				
		9 EAN (International Article Numbering association)				
*NAD030	C058	NAME AND ADDRESS	C	Comp		Not used
*	3124	Name and address description	M	an	1/35	Not used
*	3124	Name and address description	C	an	1/35	Not used
*	3124	Name and address description	C	an	1/35	Not used
*	3124	Name and address description	C	an	1/35	Not used
*	3124	Name and address description	C	an	1/35	Not used
*NAD040	C080	PARTY NAME	C	Comp		Not used
*	3036	Party name	M	an	1/35	Not used
*	3036	Party name	C	an	1/35	Not used
*	3036	Party name	C	an	1/35	Not used
*	3036	Party name	C	an	1/35	Not used
*	3036	Party name	C	an	1/35	Not used
*	3045	Party name format code	C	an	1/3	Not usee
*NAD050	C059	STREET	C	Comp		Not used
*	3042	Street and number or post office box identifier	M	an	1/35	Not used
*	3042	Street and number or post office box identifier	C	an	1/35	Not used
*	3042	Street and number or post office box identifier	C	an	1/35	Not used
*	3042	Street and number or post office box identifier	C	an	1/35	Not used
*NAD060	3164	City name	C	an	1/35	Not used
*NAD070	C819	COUNTRY SUB-ENTRY DETAILS	C	Comp		Not used
*	3229	Country sub-entity name code	C	an	1/9	Not used
*	1131	Code list identification code	C	an	1/17	Not used
*	3055	Code list responsible agency code	C	an	1/3	Not used
*	3228	Country sub-entity name	C	an	1/70	Not used
*NAD080	3251	Postal identification code	C	an	1/17	Not used
*NAD090	3207	Country name code	C	an	1/3	Not used

Note:

Example:

NAD+BY+9313938000679::9'

NAD NAME AND ADDRESS

Pos:0090 Max: 1
Mandatory
Group: 2 Elements: 9

User Option (Usage): Must use

To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party function code qualifier	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		SU Supplier				
NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Used
	3039	Party identifier	M	an	1/35	Must use
*	1131	Code list identification code	C	an	1/17	Not used
	3055	Code list responsible agency code	C	an	1/3	Used
		<u>Code</u> <u>Name</u>				
		91 Assigned by seller or seller's agent				
*NAD030	C058	NAME AND ADDRESS	C	Comp		Not used
*	3124	Name and address description	M	an	1/35	Not used
*	3124	Name and address description	C	an	1/35	Not used
*	3124	Name and address description	C	an	1/35	Not used
*	3124	Name and address description	C	an	1/35	Not used
*	3124	Name and address description	C	an	1/35	Not used
*NAD040	C080	PARTY NAME	C	Comp		Not used
*	3036	Party name	M	an	1/35	Not used
*	3036	Party name	C	an	1/35	Not used
*	3036	Party name	C	an	1/35	Not used
*	3036	Party name	C	an	1/35	Not used
*	3036	Party name	C	an	1/35	Not used
*	3045	Party name format code	C	an	1/3	Not usee
*NAD050	C059	STREET	C	Comp		Not used
*	3042	Street and number or post office box identifier	M	an	1/35	Not used
*	3042	Street and number or post office box identifier	C	an	1/35	Not used
*	3042	Street and number or post office box identifier	C	an	1/35	Not used
*	3042	Street and number or post office box identifier	C	an	1/35	Not used
*NAD060	3164	City name	C	an	1/35	Not used
*NAD070	C819	COUNTRY SUB-ENTRY DETAILS	C	Comp		Not used
*	3229	Country sub-entity name code	C	an	1/9	Not used
*	1131	Code list identification code	C	an	1/17	Not used
*	3055	Code list responsible agency code	C	an	1/3	Not used
*	3228	Country sub-entity name	C	an	1/70	Not used
*NAD080	3251	Postal identification code	C	an	1/17	Not used
*NAD090	3207	Country name code	C	an	1/3	Not used

Note:

Example:

NAD+SU+778951::91'

LOC PLACE/LOCATION IDENTIFICATION

Pos:0210 Max: 1
 Mandatory
 Group: 6 Elements: 5

User Option (Usage): Must use
 To identify a place or a location and/or related locations.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LOC010	3227	Location function code qualifier	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		162 Place or location of sale				
LOC020	C517	LOCATION IDENTIFICATION	C	Comp		Used
	3225	Location name code	C	an	1/25	Used
*	1131	Code list identification code	C	an	1/17	Not used
	3055	Code list responsible agency code	C	an	1/3	Used
		<u>Code</u> <u>Name</u>				
		92 Assigned by buyer or buyer's agent				
*	3224	Location name	C	An	1/256	Not used
*LOC030	C519	RELATED LOCATION ONE IDENTIFICATION	C	Comp		Not used
	3223	First related location name code	C	an	1/25	Not used
*	1131	Code list identification code	C	an	1/17	Not used
*	3055	Code list responsible agency code	C	an	1/3	Not used
*	3222	First related location name	C	an	1/70	Not used
*LOC040	C553	RELATED LOCATION TWO IDENTIFICATION	C	Comp		Not used
	3233	Second related location name code	C	an	1/25	Not used
*	1131	Code list identification code	C	an	1/17	Not used
*	3055	Code list responsible agency code	C	an	1/3	Not used
*	3232	Second related location name	C	an	1/70	Not used
*LOC0540	5479	Relation code	C	an	1/3	Not used

Note:

Example:

LOC+162+1145::92'

DTM DATE / TIME / PERIOD

Pos:0260	Max: 5
Conditional	
Group: 6	Elements: 1

User Option (Usage): Used
To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
	2005	Date or time or period function code	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		356 Sales date, and or time, and or period				
	2380	Date or time or period value	C	an	1/35	Used
	2379	Date or time or period format code	C	an	1/3	Used
		<u>Code</u> <u>Name</u>				
		102 CCYYMMDD				

Note:

Example:

DTM+356:20041108:102'

LIN LINE ITEM

Pos:0280 Max 1
Mandatory
Group: 8 Elements:6

User Option (Usage): Must use
To identify a line item and configuration.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN010	1082	Line item identifier	C	an	1/6	Used
*LIN020	1229	Action request/notification description code	C	an	1/3	Not used
LIN030	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used
	7140	Item identifier	C	an	1/35	Used
	7143	Item type identification code	C	an	1/3	Used
		<u>Code</u> <u>Name</u>				
		SRV EAN.UCC Global Trade Item Number				
*	1131	Code list identification code	C	an	1/17	Not used
*	3055	Code list responsible agency code	C	an	1/3	Not used
*LIN040	C829	SUB-LINE INFORMATION	C	Comp		Not used
*	5495	Sub-line indicator	C	an	1/3	Not used
*	1082	Line item identifier	C	an	1/6	Not used
*LIN050	1222	Configuration level number	C	n	1/2	Not used
*LIN060	7083	Configuration operation code	C	an	1/3	Not used

Note:

Example:

LIN+1++93211254689751:SRV'

PIA ADDITIONAL PRODUCT ID

Pos:0290 Max: 1
 Conditional
 Group: 8 Elements: 6

User Option (Usage): Used

To specify additional or substitutional item identification codes.

Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
PIA101	4347	Product identifier code qualifier	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		5 Product identification				
PIA020	C212	ITEM NUMBER IDENTIFICATION	M	Comp		Must use
	7140	Item identifier	C	an	1/35	Used
	7143	Item type identification code	C	an	1/3	Used
*	1131	Code list identification code	C	an	1/17	Not used
*	3055	Code list responsible agency code	C	an	1/3	Not used
*PIA030	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Not Used
*	7140	Item identifier	C	an	1/35	Not used
*	7143	Item type identification code	C	an	1/3	Not used
*	1131	Code list identification code	C	an	1/17	Not used
*	3055	Code list responsible agency code	C	an	1/3	Not used
*PIA040	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Not used
*	7140	Item Identifier	C	an	1/35	Not used
*	7143	Item type identification code	C	An	1/3	Not used
*	1131	Code list identification code	C	an	1/17	Not used
*	3055	Code list responsible agency code	C	an	1/3	Not used
*PIA050	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Not used
*	7140	Item identifier	C	an	1/35	Not used
*	7143	Item type identification code	C	an	1/3	Not used
*	1131	Code list identification code	C	an	1/17	Not used
	3055	Code list responsible agency code	C	an	1/3	Used
*PIA060	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Not used
*	7140	Item identifier	C	an	1/35	Not used
*	7143	Item type identification code	C	an	1/3	Not used
*	1131	Code list identification code	C	an	1/17	Not used
*	3055	Code list responsible agency code	C	an	1/3	Not used

Note:
 Example:

PIA+5+456891'

MOA MONETARY AMOUNT

Pos:0360 Max: 1
 Mandatory
 Group: 8 Elements: 1

User Option (Usage): Recommended
 To specify a monetary amount.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MOA010	C516	MONETARY AMOUNT	M	Comp		Must use
	5025	Monetary amount type code qualifier	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		203 Line item amount (SALES)				
	5004	Monetary amount	C	n	1/35	Used
*	6345	Currency identification code	C	an	1/3	Not used
*	6343	Currency type code qualifier	C	an	1/3	Not used
*	4405	Status description code	C	an	1/3	Not used

Note:

Example:

Sales

MOA+203:178.65'

MOA MONETARY AMOUNT

Pos:0360	Max: 1
Conditional	
Group: 8	Elements: 1

User Option (Usage): Recommended
To specify a monetary amount.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MOA010	C516	MONETARY AMOUNT	M	Comp		Must use
	5025	Monetary amount type code qualifier	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		508 Value of returned product (Sales Returns Full Price)				
	5004	Monetary amount	C	n	1/35	Used
*	6345	Currency identification code	C	an	1/3	Not used
*	6343	Currency type code qualifier	C	an	1/3	Not used
*	4405	Status description code	C	an	1/3	Not used

Note:
Example:

Return

MOA+508:76.45'

MOA MONETARY AMOUNT

Pos:0360 Max: 1
 Conditional
 Group: 8 Elements: 1

User Option (Usage): Recommended
 To specify a monetary amount.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MOA010	C516	MONETARY AMOUNT	M	Comp		Must use
	5025	Monetary amount type code qualifier	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		5 Adjusted amount (sold at discount Markdowns)				
	5004	Monetary amount	C	n	1/35	Used
*	6345	Currency identification code	C	an	1/3	Not used
*	6343	Currency type code qualifier	C	an	1/3	Not used
*	4405	Status description code	C	an	1/3	Not used

Note:

Example:

Markdown Sales

MOA+5:78.65'

MOA MONETARY AMOUNT

Pos:0360 Max: 1
 Conditional
 Group: 8 Elements: 1

User Option (Usage): Recommended
 To specify a monetary amount.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MOA010	C516	MONETARY AMOUNT	M	Comp		Must use
	5025	Monetary amount type code qualifier	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		43E Returns at markdown value				
	5004	Monetary amount	C	n	1/35	Used
*	6345	Currency identification code	C	an	1/3	Not used
*	6343	Currency type code qualifier	C	an	1/3	Not used
*	4405	Status description code	C	an	1/3	Not used

Note:

Example:

Return Markdown

MOA+43E:58.65'

QTY QUANTITY

Pos:0430	Max: 1
Mandatory	
Group: 10	Elements: 1

User Option (Usage): Recommended
To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	QUANTITY DETAILS	M	Comp		Must use
	6063	Quantity type code qualifier	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		153 Statistical sales quantity (QTY SOLD)				
	6060	Quantity	M	an	1/35	Must use
*	6411	Measurement unit code	C	an	1/3	Not used

Note:

Example:

Quantity Sold

QTY+153:48'

QTY QUANTITY

Pos:0430	Max: 1
Mandatory	
Group: 10	Elements:1

User Option (Usage): Recommended
To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	QUANTITY DETAILS	M	Comp		Must use
	6063	Quantity type code qualifier	M	an	1/3	Must use
		<u>Code</u> <u>Name</u>				
		210 Returned by consumer quantity				
	6060	Quantity	M	an	1/35	Must use
*	6411	Measurement unit code	C	an	1/3	Not used

Note:

Example:

Quantity Returns

QTY+210.3'

UNT MESSAGE TRAILER

Pos:0710	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use
To end and check the completeness of a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNT010	0074	Number of segments in a message	M	n	1/10	Must use
UNT020	0062	Message reference number	M	an	1/14	Must use

Comments:

- 0062, the value shall be identical to the value in 0062 in the corresponding UNH segment.

Note:

Example:

UNT+88+1044'

UNZ INTERCHANGE TRAILER

Pos:	Max: 1
Mandatory	
Group: N/A	Elements:2

User Option (Usage): Must use
To end and check the completeness of an interchange.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNZ010	0036	Interchange control count	M	n	1/6	Must use
UNZ020	0020	Interchange control reference	M	an	1/14	Must use

Note:

Example:

UNZ+1+104'

Appendix

All Included Elements in All Included Segments

<u>Id</u>	<u>Elements</u>	<u>Used in Segments</u>
C002	DOCUMENT/MESSAGE NAME	BGM
C082	PARTY IDENTIFICATION DETAILS	NAD
C106	DOCUMENT/MESSAGE IDENTIFICATION	BGM
C186	QUANTITY DETAILS	QTY
C212	ITEM NUMBER IDENTIFICATION	LIN, PIA
C506	REFERENCE	RFF
C507	DAT4E/TIME/PERIOD	DTM
C516	MONETARY AMOUNT	MOA
C517	LOCATION IDENTIFICATION	LOC
S001	SYNTAX IDENTIFIER	UNB, UNH
0001	Syntax identifier	UNB
0002	Syntax version number	UNB
0004	Sender identification	UNB
0007	Partner identification code qualifier	UNB
0010	Recipient identification	UNB
0014	Routing address	UNB
0017	Date of preparation	UNB
0019	Time of preparation	UNB
0020	Interchange control reference	UNB, UNZ
0031	Acknowledgment request	UNB
0035	Test indicator	UNB
0036	Interchange control count	UNZ
0051	Controlling agency, coded	UNH
0052	Message version number	UNH
0054	Message release number	UNH
0057	Association assigned code	UNH
0062	Message reference number	UNH, UNT
0065	Message type	UNH
0074	Number of segments in a message	UNT
1001	Document name code	BGM
1004	Document identifier	BGM
1182	Line item identifier	LIN
1153	Reference code qualifier	RFF
1225	Message function code	BGM
2005	Date or time or period function code qualifier	DTM
2379	Date or time or period format code	DTM
2380	Date or time or period value	DTM
3035	Party function code qualifier	NAD
3039	Party identifier	NAD
3055	Code list responsible agency code	BGM, LOC, NAD
3225	Location name code	LOC
3227	Location function code qualifier	LOC
4347	Product identifier code qualifier	PIA
5004	Monetary amount	MOA
5025	Monetary amount code qualifier	MOA
6060	Quantity	QTY
6063	Quantity type code qualifier	QTY
7140	Item identifier	LIN, PIA
7143	Item type identification code	LIN, PIA