

EANCOM Big Ticket Despatch Advice (DESADV)

| SG | M/O | Seg | Field | Element | B/R | Function | Myer Big Ticket | | Field Notes |
|----|-----|-----------------------|-------|---------|-----|-----------------|-----------------|---|---|
| | | UNB / UNH / UNT / UNZ | | | | | u | | See end of Msg for UNB /UNH/UNT/UNZ detail |
| 0 | M | BGM | 1.1 | 1001 | M | DespatchType | 351 | m | 351=Std Desp Advice, YA5=CrossDock |
| | | | 1.3 | 3055 | c | Agency | | | 9= EAN - if codes YA5, 35E used |
| | | | 2 | 1004 | R | Despatch # | u | r | Advice Number (an35) ie ASN # |
| | | | 3 | 1225 | R | Function | 9, 7 | r | 9= Original, 7=ReSend, Duplicate, 5=Replace |
| 0 | M | DTM-1 | 1.1 | 2005 | M | DateType | 137 | m | 137=ASN Creation date |
| | | | 1.2 | 2380 | R | ASN Date | u | r | ASN Date/ Time (n12) |
| | | | 1.3 | 2379 | R | Date Format | 203 | r | 203=ccyymmdd hhmm |
| 0 | M | DTM-2 | 1.1 | 2005 | R | DateType | 11 | m | 11=Actual Despatch Date / Time |
| | | | 1.2 | 2380 | R | Delivery Date | u | r | Date (n8) or Date / Time detail (n12) |
| | | | 1.3 | 2379 | R | Date Format | 102 | r | 102=ccyymmdd, 203=ccyymmddhhmm |
| 0 | o | DTM-3 | 1.1 | 2005 | R | DateType | 17,234 | o | 17=Estimated Delivery, 234=Earliest PickUp Date |
| | | | 1.2 | 2380 | R | Delivery Date | u | | Date (n8) or Date / Time detail (n12) |
| | | | 1.3 | 2379 | R | Date Format | 102 | | 102=ccyymmdd, 203=ccyymmddhhmm |
| 0 | M | ALI | 3 | 4183 | M | Order Status | x6 | m | X6=Std Carton, X7=PicknPack Mixed Carton |
| | | | 4 | 4183 | R | Shipment Status | 164,165 | r | 165=Split Shipment, 164=Complete |
| 1 | o | RFF-1 | 1.1 | 1153 | M | Ref-Q | | | IV= Sellers Invoice # (but not for ERS) |
| | | | 1.2 | 1154 | c | Ref Data | | | Invoice # |
| 1 | o | DTM-4 | 1.1 | 2005 | M | DateType | | | 171=Ref Date (ie. Sellers INV Date) |
| | | | 1.2 | 2380 | c | PO Date | | | Date |
| | | | 1.3 | 2379 | c | Date Format | | | 102=ccyymmdd |
| 1 | M | RFF-2 | 1.1 | 1153 | M | Ref-Q | ON | r | ON= Buyer PO # (or Rel #), BO=Blntk ON |
| | | | 1.2 | 1154 | R | Ref Data | u | | Order # (or Rel# for Blanket Order) |
| | | | | | | | | | AAN= Delivery / Booking # ex Buyer |
| 1 | r | DTM-5 | 1.1 | 2005 | M | DateType | 171 | o | 171=Reference Date (ie. For PO Date) |
| | | | 1.2 | 2380 | R | PO Date | u | | Date |
| | | | 1.3 | 2379 | R | Date Format | 102 | | 102=ccyymmdd |
| 1 | O | RFF-3 | 1.1 | 1153 | M | Ref-Q | CN | o | CN=Con Note, BM=Bill of Lading# |
| | | | 1.2 | 1154 | R | Ref Data | u | | Con Note # (an35) |
| 2 | M | NAD-1 | 1 | 3035 | M | Party-Q | SU | m | SU=Seller, (NB. Seller ID needed) |
| | | | 2.1 | 3039 | R | Party-ID | u | | Vendor # (as assigned by Buyer) |
| | | | 2.3 | 3055 | R | Agency | 92 | | 92=Buyer assigned, 9=EAN, zzz=Mutual |
| 4 | O | CTA | 1 | 3139 | C | Contact-Q | | | TR=Transport, HM= Dangerous Goods |
| | | | 2.2 | 3412 | o | Contact-name | | | Contact |
| | | COM | 1.1 | 3148 | o | Comms Data | | | Phone Number |
| | | | 1.2 | 3155 | o | Comms-Q | | | TE=Telephone |
| 2 | M | NAD-2 | 1 | 3035 | M | Party-Q | BY | m | BY=Byer, BS=Bill&ShipTo, ST=ShipTo |
| | | | 2.1 | 3039 | R | Party-ID | u | | Ship-To Location # (an35) |
| | | | 2.3 | 3055 | R | Agency | 92 | | 92=Buyer assigned, 9=EAN, zzz=Mutual |
| 2 | O | LOC-1 | 1 | 3227 | M | Loc-Q | 7 | r | 7=Delivery Place (ShipTo Dock #) |
| | | | 2.1 | 3225 | c | Location | u | | Dock Location (if needed) |
| | | | 2.3 | 3055 | c | Agency | 9, 92 | | 92=Buyer assigned, 9=EAN |

EANCOM Big Ticket Despatch Advice (DESADV)

| SG | M/O | Seg | Field | Element | B/R | Function | Myer Big Ticket | Field Notes | |
|---|-----|-------|-------|---------|-----|---------------|--|--|--|
| 3 | O | RFF-4 | 1.1 | 1153 | M | Ref-Q | | IA=Int Vendor #, API= add.Party ID | |
| | | | 1.2 | 1154 | R | Ref Data | | REF IA, API added in Applie | |
| 8 | O | EQD | 1 | 8053 | M | Equipmt-Q | | CN=Container #, TE = Truck or Trailer # | |
| | | | 2.1 | 8260 | c | Equip ID # | | Truck Regn # or Container # (an17) | |
| SHIPMENT Details | | | | | | | | | |
| 10 | M | CPS-1 | 1 | 7164 | M | Hier. Rec-ID# | 1 5, 1E u u 33E BJ u | Shipment Level CPS Record | |
| | | | 3 | 7075 | R | CPS Level | | 5 = Shipment Level (AU temp. code) | |
| | | | | | | | | 1E = Shipment Level - new EAN code | |
| 11 | M | PAC-1 | 1 | 7224 | M | # of Pkgs | | r | # of Packages - of this type, for Shipment (n8) |
| | | | 3.1 | 7065 | R | Type of Pkgs | | | CT=Carton, 09=Returnable Pallet (EANcode), BG=Bag, SL=Slipsheet, PK=Package |
| | | | 3.3 | 3055 | R | Agency | | | 9=EAN Agency (if Code 09 used) |
| 11 | O | MEA-1 | 1 | 6311 | M | MEA Type | | | PD=Physical Dimensions |
| | | | 2.1 | 6313 | c | Dimension | | | AAB=Gross Weight, ABJ=Volume |
| | | | 3.1 | 6411 | c | MEA units | | | KGM=Kilograms, LTR=litres, MTQ=m3 |
| | | | 3.2 | 6314 | c | Value | | | Value (CMT=Cm) |
| 11 | O | QTY-0 | 1.1 | 6063 | O | Qty-Q | | 12=Despatch Qty, for above PAC | |
| | | | 1.2 | 6060 | c | Qty | | Qty (n15) | |
| 13 | C | PCI-1 | 1 | 4223 | M | Markings | | 33E=SSCC Markings (needed for GIN) | |
| | | | | | | | | 17=Sellers Instructions ?? | |
| 14 | R | GIN-1 | 1 | 7405 | M | ID-Type | | BJ=SSCC-18 coding | |
| | | | 2.1 | 7402 | c | ID | | SSCC# (Shipment,n18) | |
| STORE Details (for Xdock Supply) | | | | | | | | | |
| 10 | M | CPS-2 | 1 | 7164 | M | Hier. Rec-ID# | | Number given to this CPS Record | |
| | | | 2 | 7166 | R | Hier. Parent# | | Number of Parent CPS record | |
| | | | 3 | 7075 | R | CPS Level | | 3= "Final" Location Level (ie. Store) | |
| | | | | | | | | (AU recommendation) | |
| 15 | M | LIN-0 | 1 | 1082 | M | Line # | | Dummy LIN - allow access to LOC-2 detail | |
| 18 | M | LOC-2 | 1 | 3227 | M | Loc-Q | | 8=Ultimate Destination (eg. Store) | |
| | | | 2.1 | 3225 | R | Location | | For SDQ order, Store # | |
| | | | 2.3 | 3055 | R | Agency | | 92=Buyer assigned, 9=EAN | |
| Pallets / Tare (optional) | | | | | | | | | |
| 10 | M | CPS-3 | 1 | 7164 | M | Hier. Rec-ID# | | Number given to this CPS Record | |
| | | | 2 | 7166 | R | Hier. Parent# | | Number of Parent CPS record | |
| | | | 3 | 7075 | R | CPS Level | | 2= Pallet / Tare Level Code | |
| | | | | | | | | (AU recommendation) | |
| 11 | M | PAC-3 | 1 | 7224 | M | # of Pkgs | | # of Packages - this type, for Pallet | |
| | | | 3.1 | 7065 | R | Type of Pkgs | | CT=Cartons - on this pallet(s), BG=Bags | |
| 11 | O | MEA-3 | 1 | 6311 | M | MEA Type | | PD=Physical Dimensions | |
| | | | 2.1 | 6313 | R | Dimension | | AAB=Gross Weight | |
| | | | 3.1 | 6411 | R | MEA units | | KGM=Kilograms | |
| | | | 3.2 | 6314 | R | Value | | | |
| 13 | C | PCI-3 | 1 | 4223 | M | Markings | | 33E=SSCC Markings (needed for GIN) | |

EANCOM Big Ticket Despatch Advice (DESADV)

| SG | M/O | Seg | Field | Element | B/R | Function | Myer Big Ticket | | Field Notes | |
|----|-----|------------------------------------|-------|---------|-----|---------------|-----------------|---|--|--|
| 14 | M | GIN-3 | 1 | 7405 | M | ID-Type | | | BJ=SSCC-18 coding | |
| | | | 2.1 | 7402 | C | ID # Start | | | SSCC# (or start # for a range) | |
| | | | 2.2 | 7402 | C | ID # Finish | | | SSCC# (or last # for a range) | |
| | | Mixed CARTON Details | | | | | | | | |
| | | | | | | | VIRTUAL | | | |
| 10 | M | CPS-4 | 1 | 7164 | M | Hier. Rec-ID# | u | m | Number given to this CPS Record | |
| | | | 2 | 7166 | R | Hier. Parent# | u | | Number of Parent CPS record | |
| | | | 3 | 7075 | R | CPS Level | 1 | | 1= Carton Level (AU recommendation) | |
| 11 | M | PAC-4 | 1 | 7224 | M | # of Pkgs | 1 | o | # of Packages - this level (1 only) | |
| | | | 3.1 | 7065 | R | Type of Pkgs | | | CT=Carton | |
| 11 | O | MEA-4 | 1 | 6311 | M | MEA Type | | | PD=Physical Dimensions | |
| | | | 2.1 | 6313 | R | Dimension | | | AAB=Gross Weight, ABJ=Volume | |
| | | | 3.1 | 6411 | R | MEA units | | | KGM=Kilograms, LTR=litres, MTR=metre | |
| | | | 3.2 | 6314 | R | Value | | | HT=Height, LN=Length, WD=Width | |
| 13 | C | PCI-4 | 1 | 4223 | M | Markings | 33E | r | 33E=SSCC Markings (needed for GIN) | |
| 14 | M | GIN-4 | 1 | 7405 | M | ID-Type | BJ | r | BJ=SSCC-18 coding | |
| | | | 2.1 | 7402 | R | ID # | u | | Carton SSCC#, Including SubPacks | |
| | | ITEMS | | | | | | | | |
| 15 | M | LIN | 1 | 1082 | M | Line # | u | m | Sequential Item Count (n6) | |
| | | | 3.1 | 7140 | R | Item ID | u | | "Can only be an EAN/UP code ? " | |
| | | | 3.2 | 7143 | R | Item Type | EN | | EN - EANCOM Restriction | |
| 15 | C | PIA | 1 | 4347 | C | PIA-Q | | | 1=Add.ID (for Batch #), 4=Substitute EAN# | |
| | | | 2.1 | 7140 | R | Item Code | | | Batch # or Substitute EAN # (an35), | |
| | | | 2.2 | 7143 | R | Code-Q | | | EN=EAN#, NB=Batch#, IN=Buyers# | |
| 15 | O | MEA-6 | 1 | 6311 | M | MEA-type | | | PD=Physical Dimension | |
| | | | 2.1 | 6313 | c | Dimension | | | AAB=Gross Weight - this item | |
| | | | 3.1 | 6411 | c | MEA units | | | KGM=Kilograms | |
| | | | 3.2 | 6314 | c | Value | | | | |
| 15 | O | QTY-1 | 1.1 | 6063 | O | Qty-Q | 12 | m | 12=Despatch Qty, 21= Ordered Qty | |
| | | | 1.2 | 6060 | c | Qty | u | | Qty (n15) | |
| | | | 1.3 | 6411 | c | Qty_unit | | | Units, Variable Wgt / Vol / Lgth Only | |
| 15 | O | DTM-6 | 1.1 | 2005 | M | Date-Q | | | 36=Expiry Date, 361=Best-By Date (Food) | |
| | | | 1.2 | 2380 | c | Date | | | Expiry Date (n8) | |
| | | | 1.3 | 2379 | c | Date-Type | | | 102=CCYYMMDD | |
| | | STD (or Sub) CARTON Details | | | | | | | | |
| | | | | | | | SubPack | | | |
| 20 | C | PCI-7 | 1 | 4223 | M | Markings | 33E | c | 33E=SSCC Marking, 34E=TUN Marking | |
| 20 | C | MEA-7 | 1 | 6311 | M | MEA Type | | | PD=Physical Dimensions | |
| | | | 2.1 | 6313 | R | Dimension | | | AAB=Gross Weight, ABJ=Volume | |
| | | | 3.1 | 6411 | R | MEA units | | | KGM=Kilograms, LTR=litres | |
| | | | 3.2 | 6314 | R | Value | | | | |
| 20 | C | QTY-2 | 1.1 | 6063 | M | Qty-Q | | | 59= Consumer Units Per Trade Unit (cnt) | |
| | | | 1.2 | 6060 | R | Qty | | | Qty (n15) | |

EANCOM Big Ticket Despatch Advice (DESADV)

| SG | M/O | Seg | Field | Element | B/R | Function | Myer Big Ticket | | Field Notes |
|-------------------------------------|-----|-------|-------|---------|-----|----------------|-----------------|---|---|
| 21 | C | GIN-7 | 1 | 7405 | M | ID-Type | BJ u o | c | EU=Tun#, BJ=SSCC-18, BX=Batch # |
| | | | 2.1 | 7402 | c | ID # | | | TUN#, SSCC# or B# for this Carton |
| | | | 2.2 | 7402 | c | ID # Finish | | | SSCC (last # in range, if used) |
| 23 | O | QVR | 1.1 | 6064 | M | Qty-Difference | | | Actual QTY Difference (n15) |
| | | | 1.2 | 6063 | o | Qty-Q | | | 21=Ord Qty, 66=Committed Qty |
| | | | 2 | 4221 | c | Discrepancy | | | BP=ShipPartial-BO to follow, CP=Complete-NoBO |
| 23 | O | DTM-7 | 1.1 | 2005 | M | Date-Q | | | 17=Back Order Delivery Date |
| | | | 1.2 | 2380 | c | Date | | | Delivery Date for BackOrder (n8) |
| | | | 1.3 | 2379 | c | Date-Type | | | 102=CCYYMMDD |
| Controls | | | | | | | | | |
| M | | CNT-1 | 1.1 | 6069 | M | Cntrl-Q | 2 | m | 2=No of Line Items in Despatch |
| | | | 1.2 | 6066 | R | Qty | u | | Total Line Items |
| M | | CNT-2 | 1.1 | 6069 | M | Cntrl-Q | 1 | m | 1=Total Despatched Qty |
| | | | 1.2 | 6066 | R | Qty | u | | Total of all Despatch Qtys (n18) |
| M | | UCI | 1 | 0020 | O | Interchg-Ref | u | | Ref ex UNB05 of preceding message |
| | | | 2.1 | 0004 | O | IC Sender ID | u | | Previous sender ID (UNB02-1) |
| | | | 3.1 | 0010 | O | IC Receiver ID | u | | Previous Receiver ID (UNB03-1) |
| | | | 4 | 0083 | O | Action Code | 7,4 | | 7=Ack all lvs, 4=Reject all (1 = Ack, retired) |
| Enveloping Header & Trailer Details | | | | | | | | | |
| M | | UNB | 1.1 | 0001 | M | Syntax | UNOA | | UNOA=UN/ECE Level A |
| | | | 1.2 | 0002 | R | Version | 3 | | 3= ISO 9735 Version 3 |
| | | | 2.1 | 0004 | R | Sender ID | u | | Sender Mailbox ID |
| | | | 2.2 | 0007 | R | Sender-Q | 14,zz | | 14=EAN Mailbox Loc code (n13), else ZZ |
| | | | 3.1 | 0010 | R | Receiver ID | u | | Receiver Mailbox ID |
| | | | 3.2 | 0007 | R | Receiver-Q | ZZ | | 14=EAN Mailbox Loc code, else ZZ |
| | | | 4.1 | 0017 | R | Sender Date | u | | YYMMDD date of I-C Creation Time |
| | | | 4.2 | 0019 | R | Sender Time | u | | HHMM time " (24 hour clock) |
| | | | 5 | 0020 | R | Inter Ref # | u | | Sequential # to track Interchanges |
| | | | 9 | 0031 | R | Ack Request | 1 | | 1=CNTRL Acknowledgment required |
| | | | 11 | 0035 | R | Test Indicator | u | | 1=TEST, else ASSUMED to be Production |
| M | | UNH | 1 | 0062 | M | Message # | u | | Sequential # assigned by Sender (for FA's) |
| | | | 2.1 | 0065 | R | Msg Type | DESADV | | |
| | | | 2.2 | 0052 | R | Version | D | | D=EDIFACT Draft Directory, CONTRL=2 |
| | | | 2.3 | 0054 | R | Release List | 96A | | 96A for DESADV, 2 for CONTRL |
| | | | 2.4 | 0051 | R | Agency | UN | | UN=United Nations |
| | | | 2.5 | 0057 | R | Association | EAN005 | | EANCOM Version # (CONTRL not used) |
| M | | UNT | 1 | 0074 | M | # of Sgmts | u | | Control Count, inc, UNH and UNT segs. |
| | | | 2 | 0062 | R | Msg Ref # | u | | Same # as UNH-01 |
| M | | UNZ | 1 | 0036 | M | Control Count | u | | No of messages within the Interchange |
| | | | 2 | 0020 | R | Control Ref# | u | | Identical to UNB-05 |